

BEST AVAILABLE COPY

Listing of Claims:

1. (amended) A method for providing repeated access to a body fluid in an anatomical, native vessel, comprising:
 - providing an occludable access tube having an anastomosis end;
 - anastomosing the access tube at its anastomosis end to the sidewall of the anatomical vessel ~~such that the vessel is in, without sutures, for~~ fluid communication with between the anatomical, native vessel and the access tube;
 - occluding the access tube with an occluder at its anastomosis end to prevent the body fluid in the anatomical, native vessel from entering the access tube; and
 - opening the access tube by selectively moving the occluder so that the occludable access tube is no longer occluded to provide fluid communication between the anatomical, native vessel and the access tube;
 - enabling fluid communication between the access tube and a device; and
 - re-occluding the access tube.
2. (original) The method of claim 1, further comprising reoccluding the access tube with an occluder at its anastomosis end to prevent the body fluid from entering the access tube.
3. (original) The method of claim 1, wherein the body fluid is blood.

4. (original) The method of claim 3, further comprising providing fluid communication between the access tube and a blood treatment device.
5. (original) The method of claim 4, further comprising providing fluid communication between the blood treatment device and a second access tube anastomosed to a blood vessel.
6. (original) The method of claim 1, wherein the access tube has an access end opposite from the anastomosis end and wherein the access tube extends percutaneously with the access end being extracorporeally positioned.
7. (original) The method of claim 6, wherein the occluder comprises a removable plug occluder.
8. (original) The method of claim 1, wherein the entire access tube is positioned subcutaneously.
9. (original) The method of claim 1, further comprising a self-sealing access port in fluid communication with the access tube.
10. (original) The method of claim 1, further comprising a self-sealing port device in fluid communication with the occluder.

11. (original) The method of claim 1, wherein the occluder comprises a fluid.
12. (original) The method of claim 1, wherein the occluder comprises a balloon.
13. (original) The method of claim 12, wherein the balloon is toroidal shaped.
14. (original) The method of claim 1, wherein the end of the access tube opposite from the anastomosis end is closed.
15. (original) The method of claim 1, wherein the access tube has an anastomosis component at the anastomosis end.
16. (original) The method of claim 15, wherein the anastomosis component is an anastomosis ring.
17. (original) The method of claim 1, further comprising the step of exposing the body fluid to a pharmacological agent via the occluder.

18. (amended) An apparatus for facilitating repeated access to a body fluid in an anatomical, native vessel, comprising:

an access tube having an anastomosis end, wherein the anastomosis end is ~~adapted~~ configured for sutureless attachment of the anastomosis end of the access tube to the sidewall of an anatomical, native vessel ~~at an anastomosis opening to enable fluid communication between the anatomical, native vessel and the access tube, and wherein the access tube is closed at a terminal end opposite from the anastomosis end;~~ and

an occluder ~~adapted~~ configured to fit within the access tube at the anastomosis end of the access tube to block fluid communication between the anatomical, native vessel and the access tube, wherein the occluder can be selectively moved to allow for fluid communication between the anatomical, native vessel and the access tube to be re-established.

19. (amended) The apparatus of claim 18, further comprising an anastomosis component at the anastomosis end of the access tube to facilitate anastomosis of the access tube to the sidewall of the anatomical, native vessel.

20. (original) The apparatus of claim 19, wherein the anastomosis component is an anastomosis ring.

21. (amended) The apparatus of claim 18, wherein the access tube has an access end opposite from the anastomosis end, and wherein the access tube is

adapted configured to extend percutaneously with the access end being extracorporeally positioned.

22. (original) The apparatus of claim 18, wherein the entire access tube is positioned subcutaneously.

23. (original) The apparatus of claim 18, further comprising a self-sealing access port in fluid communication with the access tube.

24. (original) The apparatus of claim 23, wherein the self-sealing access port is disposed at the end of the access tube opposite from the anastomosis end.

25. (original) The apparatus of claim 18, further comprising a self-sealing port device in fluid communication with the occluder.

26. (original) The apparatus of claim 25, wherein the self-sealing port device is disposed at the end of the access tube opposite from the anastomosis end.

27. (original) The apparatus of claim 18, wherein the occluder comprises a fluid.

28. (original) The apparatus of claim 18, wherein the occluder comprises a balloon.

29. (original) The apparatus of claim 28, wherein the balloon is toroidal shaped.

30. (original) The apparatus of claim 18, wherein the occluder includes a pharmacological agent.

31. (amended) An apparatus for facilitating repeated access to a body fluid in an anatomical, native vessel, comprising:

access tube means for accessing an anastomosed vessel, wherein the access tube means has an anastomosis end ~~that is adapted~~ configured for sutureless attachment of the anastomosis end of the access tube to the sidewall of an anatomical, native vessel ~~at an anastomosis opening to enable fluid communication between the anatomical, native vessel and the access tube means, and wherein the access tube means is closed at a terminal end opposite from the anastomosis end;~~ and

occluding means for selectively occluding an opening in an anatomical, native vessel, wherein the occluding means is adapted configured to fit within the access tube means at the anastomosis end of the access tube to block fluid communication between the anatomical, native vessel and the access tube means, wherein the occluding means can be selectively moved to allow for fluid communication between the anatomical, native vessel and the access tube means to be re-established.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.